



\*This Part requires two clamps, part numbers 116-300 & 140-300.  
See additional drawings for information on these clamps.

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FERNCO, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FERNCO, INC. IS PROHIBITED.

|                     |                              |
|---------------------|------------------------------|
| Part Weight         | 2.66 lbs.                    |
| Min/Max Temp.       | -30/140 Degrees F            |
| Pressure Tested     | 4.3 PSI                      |
| Material            | Flexible PVC 60 Duro Shore A |
| Installation Torque | 60" Lbs.                     |
| Conforms to ASTM    | D5926, C1173                 |
| Box Quantity        | 20                           |
| Clamps used         | 300 Series                   |



300 S. DAYTON ST.  
DAVISON, MI 48423  
PH: 810-653-9626  
FAX: 810-654-2616

|  |                   |   |                                 |
|--|-------------------|---|---------------------------------|
| <b>TOLERANCES:</b><br>.X= Fractional ±<br>.XX= ±.060<br>.XXX= ±.032<br>ANG.= ±0.5°<br>UNLESS OTHERWISE SPECIFIED |                   | DESCRIPTION:<br>Coupling 6" Concrete x 6"<br>Plastic/CI |                                 |
|  |                   | <h1>1006-66</h1>  |                                 |
| UNITS:<br><b>INCHES</b>  | SIZE:<br><b>A</b> | DESIGNER:<br>D. Brady                                   | SCALE:<br>not to scale          |
| 3RD ANGLE PROJECTION<br>DO NOT SCALE DRAWING   |                   | CHECKER:  | DATE: 3/17/2009<br>SHEET 1 OF 1 |